

2014 South Dakota Yield Contest Results (All Entries)

Group	County	Seed Brand	Seed Variety	Seed Maturity	Yield
Group 0 No-till	Yankton	Asgrow	AG0832	0.8	73.23
Group 0 No-till	Brown	Asgrow	AG0934	0.9	65.14
Group 0 No-till	Brown	Asgrow	AG0934	0.9	63.63
Group 0 No-till	Brown	Asgrow	AG0934	0.9	61.57
Group 0 No-till	Brown	Pioneer	90Y90	0.9	60.20
Group 0 No-till	Brown	Asgrow	AG0934	0.9	59.13
Group 0 No-till	Brown	Pioneer	90Y90	0.9	58.52
Group 0 Non-irrigated	Roberts	Croplan	0973	0.9	74.91
Group 0 Non-irrigated	Moody	Asgrow	AG0832	0.8	68.54
Group 0 Non-irrigated	Moody	Mustang	09822	0.9	67.37
Group 0 Non-irrigated	Deuel	Asgrow	AG0832	0.8	66.28
Group 0 Non-irrigated	Moody	Mustang	M096RR	0.9	62.83
Group 0 Non-irrigated	Deuel	Asgrow	AG0735	0.7	61.89
Group 0 Non-irrigated	Moody	Mustang	09822	0.9	60.33
Group 0 Non-irrigated	Roberts	Croplan	0860	0.8	58.17
Group 0 or 1 Irrigated	Brown	Syngenta	S14-J7	1.4	69.30
Group 0 or 1 Irrigated	Moody	Asgrow	AG1431	1.4	67.43
Group 0 or 1 Irrigated	Minnehaha	Pioneer	P19T60R	1.9	59.08
Group 1 No-till	Yankton	Asgrow	AG1431	1.4	79.78
Group 1 No-till	Beadle	Legend	15R21	1.5	72.08
Group 1 No-till	Spink	Asgrow	AG1733	1.7	71.44
Group 1 No-till	Marshall	Asgrow	AG1435	1.4	71.04
Group 1 No-till	Beadle	Pioneer	P16T04R	1.6	70.11
Group 1 No-till	Spink	Asgrow	AG1733	1.7	64.05
Group 1 No-till	Brown	Pioneer	P16T04R	1.6	63.63
Group 1 No-till	Brown	Asgrow	AG1431	1.4	63.37
Group 1 No-till	Brown	AgVenture	1707	1.7	63.14
Group 1 No-till	Charles Mix	Mark Seed	2R1117CTA	1.7	62.88
Group 1 No-till	Day	Croplan	R2C1572	1.5	62.64
Group 1 No-till	Marshall	Asgrow	AG1435	1.4	62.25
Group 1 No-till	Beadle	Integra	21707N	1.7	61.31
Group 1 No-till	Lake	Asgrow	AG1733	1.7	60.78
Group 1 No-till	Spink	Asgrow	AG1431	1.4	60.28
Group 1 No-till	Brookings	Pioneer	P16T04R	1.6	60.08
Group 1 No-till	Deuel	Pioneer	P19T60R	1.9	58.23
Group 1 No-till	Spink	Pioneer	P19T60R	1.9	58.08
Group 1 No-till	Hamlin	Hefty	17R4	1.7	54.49
Group 1 No-till	Brown	Asgrow	AG1733	1.7	53.74
Group 1 No-till	Spink	Asgrow	AG1733	1.7	52.59
Group 1 No-till	Hand	Pioneer	P16T04R	1.6	51.27
Group 1 Non-irrigated	Brown	Asgrow	AG1431	1.4	77.31
Group 1 Non-irrigated	Spink	Asgrow	AG1733	1.7	74.63
Group 1 Non-irrigated	Clark	Pioneer	P16T04R	1.6	73.99
Group 1 Non-irrigated	Spink	Asgrow	AG1431	1.4	71.32
Group 1 Non-irrigated	Brookings	Asgrow	AG1431	1.4	68.19
Group 1 Non-irrigated	Moody	Asgrow	AG1431	1.4	66.81
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	66.50
Group 1 Non-irrigated	Brookings	Asgrow	AG1431	1.4	66.44
Group 1 Non-irrigated	Lake	Asgrow	AG1733	1.7	66.16
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	65.50
Group 1 Non-irrigated	Moody	Asgrow	AG1431	1.4	64.60
Group 1 Non-irrigated	Kingsbury	Asgrow	AG1431	1.4	64.58
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	64.29

Group	County	Seed Brand	Seed Variety	Seed Maturity	Yield
Group 1 Non-irrigated	Brookings	Asgrow	AG1234	1.2	63.94
Group 1 Non-irrigated	Brown	Syngenta	S14-J7	1.4	63.76
Group 1 Non-irrigated	Moody	Asgrow	AG1431	1.4	62.89
Group 1 Non-irrigated	Moody	Asgrow	AG1534	1.5	62.33
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	62.23
Group 1 Non-irrigated	Brookings	Prairie Brand	1234R2	1.2	62.13
Group 1 Non-irrigated	Minnehaha	Asgrow	AG1733	1.7	61.90
Group 1 Non-irrigated	Brookings	Asgrow	AG1733	1.7	61.29
Group 1 Non-irrigated	Brown	Asgrow	AG1733	1.7	61.06
Group 1 Non-irrigated	Brookings	Pioneer	P16T04R	1.6	60.75
Group 1 Non-irrigated	Spink	Asgrow	AG1431	1.4	60.16
Group 1 Non-irrigated	Moody	Mustang	14323 RR2	1.4	58.68
Group 1 Non-irrigated	Lake	Asgrow	AG1431	1.4	58.43
Group 1 Non-irrigated	Brown	Asgrow	AG1733	1.7	57.80
Group 1 Non-irrigated	Moody	Integra	21915 RR2	1.9	54.75
Group 1 Non-irrigated	Faulk	Asgrow	AG1534	1.5	54.46
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	54.23
Group 1 Non-irrigated	Brookings	Asgrow	AG1431	1.4	53.48
Group 1 Non-irrigated	Lake	Asgrow	AG1431	1.4	53.29
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	52.57
Group 1 Non-irrigated	Moody	Asgrow	AG1431	1.4	52.46
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	52.22
Group 1 Non-irrigated	Spink	Asgrow	AG1431	1.4	48.83
Group 1 Non-irrigated	Minnehaha	Mustang	17722	1.7	48.68
Group 1 Non-irrigated	Moody	Asgrow	AG1733	1.7	48.57
Group 2 No-till	Brule	Wensman	3230	2.3	82.18
Group 2 No-till	Clay	Croplan	2501	2.5	77.76
Group 2 No-till	Yankton	Pioneer	92Y83	2.8	75.53
Group 2 No-till	Brule	Asgrow	AG2431	2.4	73.75
Group 2 No-till	Turner	Syngenta	S28-Y2	2.8	71.82
Group 2 No-till	Yankton	Pionner	P25T51R	2.5	71.15
Group 2 No-till	Davison	Latham	2440	2.4	71.09
Group 2 No-till	Minnehaha	Croplan	2200	2.2	70.01
Group 2 No-till	Yankton	Asgrow	AG2433	2.4	69.99
Group 2 No-till	Beadle	Legend	20R20	2	69.49
Group 2 No-till	Turner	Syngenta	S23-P8	2.3	68.09
Group 2 No-till	Brule	Channel	2607	2.6	66.38
Group 2 No-till	Charles Mix	Pioneer	92Y83	2.8	62.28
Group 2 No-till	Minnehaha	Mustang	23530	2.3	61.72
Group 2 No-till	Lake	Asgrow	AG2031	2	60.35
Group 2 No-till	Douglas	Asgrow	AG2232	2.2	59.15
Group 2 No-till	Brule	Mustang	23530	2.3	58.67
Group 2 No-till	Douglas	Pioneer	P22T69R	2.2	57.38
Group 2 No-till	Minnehaha	Mustang	23530	2.3	56.98
Group 2 No-till	Minnehaha	Mustang	21993	2.1	53.80
Group 2 No-till	Douglas	Asgrow	AG2433	2.4	41.64
Group 2 Non-irrigated	Union	Pioneer	92Y70	2.7	103.74
Group 2 Non-irrigated	Brule	Asgrow	AG2431	2.4	81.06
Group 2 Non-irrigated	Turner	Syngenta	S20-T6	2	77.40
Group 2 Non-irrigated	Union	Asgrow	AG2733	2.7	77.04
Group 2 Non-irrigated	Union	Syngenta	29-G4	2.9	76.11
Group 2 Non-irrigated	Hutchinson	Pioneer	92Y83	2.8	75.67
Group 2 Non-irrigated	Minnehaha	Asgrow	AG2431	2.4	75.55
Group 2 Non-irrigated	Turner	Pioneer	P25T51R	2.5	74.33

Group	County	Seed Brand	Seed Variety	Seed Maturity	Yield
Group 2 Non-irrigated	Turner	Pioneer	P25T51R	2.5	74.15
Group 2 Non-irrigated	Minnehaha	Hefty	23Y10	2.3	73.73
Group 2 Non-irrigated	Yankton	Croplan	PP2200	2.2	72.88
Group 2 Non-irrigated	Clay	Pioneer	92Y83	2.8	72.56
Group 2 Non-irrigated	Minnehaha	Hefty	23R5	2.3	72.46
Group 2 Non-irrigated	Minnehaha	Hefty	20R3	2	72.35
Group 2 Non-irrigated	Yankton	Pioneer	92Y83	2.8	72.16
Group 2 Non-irrigated	Minnehaha	Hefty	20R3	2	70.99
Group 2 Non-irrigated	Clay	Pioneer	P27T87R2	2.7	70.26
Group 2 Non-irrigated	Lake	Asgrow	AG2134	2.1	68.68
Group 2 Non-Irrigated	Kingsbury	Wensman	3214	2.1	68.33
Group 2 Non-irrigated	Lake	Mustang	23530	2.3	68.28
Group 2 Non-irrigated	Hutchinson	Asgrow	AG2733	2.7	68.10
Group 2 Non-irrigated	Bon Homme	Pioneer	92Y83	2.8	67.36
Group 2 Non-irrigated	Turner	Syngenta	S28-A2	2.8	67.15
Group 2 Non-irrigated	Turner	Pioneer	92Y83	2.8	67.10
Group 2 Non-irrigated	Hutchinson	Pioneer	92Y62	2.6	66.67
Group 2 Non-irrigated	Union	Syngenta	26-P3	2.6	66.52
Group 2 Non-irrigated	Hutchinson	Asgrow	AG2433	2.4	66.03
Group 2 Non-irrigated	Moody	Pioneer	P22T69R	2.6	65.33
Group 2 Non-irrigated	Yankton	Pioneer	92Y83	2.8	65.26
Group 2 Non-irrigated	Clark	Pioneer	P22T69R	2.2	65.16
Group 2 Non-irrigated	Kingsbury	Legend	LS22R24N	2.2	64.77
Group 2 Non-irrigated	Yankton	Pioneer	92Y83	2.8	64.08
Group 2 Non-irrigated	Gregory	Pioneer	92Y62	2.6	64.03
Group 2 Non-irrigated	Moody	Asgrow	AG2031	2	63.71
Group 2 Non-irrigated	Bon Homme	Pioneer	92Y83	2.8	62.74
Group 2 Non-irrigated	Moody	Hefty	H21R3	2.1	61.36
Group 2 Non-irrigated	Moody	Asgrow	AG2134	2.1	60.47
Group 2 Non-irrigated	Moody	REA	82G14	2.2	57.57
Group 2 Non-irrigated	Clay	Legend	ADV STK 25	2.5	56.32
Group 2 Non-irrigated	Moody	Asgrow	AG2031	2	54.57
Group 2 Non-irrigated	Minnehaha	Mustang	21993	2.1	50.20
Group 2 Non-irrigated	Charles mix	Pioneer	P22T69R	2.6	46.62
Group 2 or 3 Irrigated	Charles Mix	Asgrow	AG2733	2.7	87.24
Group 2 or 3 Irrigated	Hughes	Asgrow	AG2431	2.4	81.13
Group 2 or 3 Irrigated	Beadle	Legend	20R23N	2	79.39
Group 2 or 3 Irrigated	Yankton	Pioneer	P31T11R	3.1	75.83
Group 2 or 3 Irrigated	Clay	Pioneer	P25T51R	2.5	74.95
Group 2 or 3 Irrigated	Bon Homme	Channel	2402	2.4	73.54
Group 2 or 3 Irrigated	Beadle	Asgrow	AG2031	2	73.45
Group 2 or 3 Irrigated	Beadle	Integra	22410	2.4	73.08
Group 2 or 3 Irrigated	Bon Homme	Pioneer	93Y13	3	72.28
Group 2 or 3 Irrigated	Spink	Pioneer	P22T69R	2.2	71.29
Group 2 or 3 Irrigated	Bon Homme	Pioneer	92Y83	2.8	71.27
Group 2 or 3 Irrigated	Yankton	Pioneer	P27T87R2	2.7	70.48
Group 2 or 3 Irrigated	Yankton	Pioneer	93Y13	3.1	69.72
Group 2 or 3 Irrigated	spink	Asgrow	AG2031	2	69.69
Group 2 or 3 Irrigated	Bon Homme	Pioneer	92Y83	2.8	69.11
Group 2 or 3 Irrigated	Union	Syngenta	NK S31-R2	3.1	68.54
Group 2 or 3 Irrigated	Union	Syngenta	NK S26-P3	2.6	68.29
Group 2 or 3 Irrigated	Bon Homme	Pioneer	93M11	3.1	66.60
Group 2 or 3 Irrigated	Turner	Mark Seed	2R1024CTA	2.4	65.49

Group	County	Seed Brand	Seed Variety	Seed Maturity	Yield
Group 3 No-till	Charles Mix	Pioneer	93M11	3.1	68.53
Group 3 No-till	Charles Mix	Asgrow	AG3034	3	67.71
Group 3 No-till	Yankton	Pioneer	93Y13	3.1	65.40
Group 3 No-till	Yankton	Asgrow	AG3034	3	62.19
Group 3 No-till	Gregory	Pioneer	93M11	3.1	61.83
Group 3 No-till	Gregory	Pioneer	93M11	3.1	61.00
Group 3 No-till	Turner	Asgrow	AG3034	3	58.91
Group 3 No-till	Hutchinson	Pioneer	93M11	3.1	58.25
Group 3 No-till	Hutchinson	Pioneer	93M11	3	56.42
Group 3 No-till	Gregory	Pioneer	93M11	3.1	54.17
Group 3 No-till	Charles Mix	Asgrow	AG3034	3	49.85
Group 3 Non-irrigated	Union	Pioneer	93M11	3.1	94.41
Group 3 Non-irrigated	Union	Syngenta	NK S31-R2	3.1	77.78
Group 3 Non-irrigated	Turner	Pioneer	93Y13	3.1	73.39
Group 3 Non-irrigated	Hutchinson	Pioneer	93M11	3.1	72.35
Group 3 Non-irrigated	Yankton	Pioneer	P31T11R	3.1	67.56
Group 3 Non-irrigated	Bon Homme	Pioneer	93M11	3.1	67.25
Group 3 Non-irrigated	Turner	Pioneer	93Y13	3.1	61.70